

PART 9. DEPENDENTS

Data Element Full Name: **DEPENDENTS - NAVY FINANCE CENTER DEPENDENCY CODE**

EMF Copylib Name: NFC-53-DEP

EMF Position: 0080-0082

EMF Length: 3

EMF Occurrences: 1, Alphanumeric

NES TAC: 336

Description: The number of primary and secondary dependents as coded by the Navy Finance Center.

Valid Values: Appendix A, DEPENDENCY CODE TABLE (NFC)

Auth Sub Sources: PERS-1023C (OCARS, OPINS), PERS-1024E, NFC

Comments: Input by NFC; not used in NES.

PART 9. DEPENDENTS

Data Element Full Name: **DEPENDENTS ON STATION:
NUMBER OF DEPENDENTS**

EMF Copylib Name: DOS-CODE

EMF Position: 0092

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: 200, 298, 345

Description: The number of authorized dependents in a command-sponsored status residing overseas with the member at his current activity.

<i>Valid Values:</i>	<u>Value</u>	<u>Description</u>
	Blank	Not applicable
	0-8	Zero thru eight authorized dependents
	9	Nine or more authorized dependents

Auth Sub Sources: PERS-1024E, PERS-103 (SDS), PERS-47, PERS-842, EPMAC

Comments: References - (a) TRANSMAN 4.03, 15.01, (b) PAYPERSMAN 90427, 90612, 90632

PART 9. DEPENDENTS

Data Element Full Name: **DEPENDENTS ON STATION:
DATE OF ARRIVAL**

EMF Copylib Name: DOS-DATE

EMF Position: 0093-0096

EMF Length: 4

EMF Occurrences: 1, Alphanumeric

NES TAC: 200, 298, 345

Description: The date that the member's dependents arrived at the member's current overseas activity.

Valid Values: Valid YYMM dates.

Auth Sub Sources: PERS-1024E, PERS-103 (SDS), PERS-47, PERS-842, EPMAC

Comments: References - (a) PAYPERSMAN 90427, 90612, 90632

PART 9. DEPENDENTS

Data Element Full Name: **DEPENDENTS AT FIRST PAST OVERSEAS ACTIVITY:
NUMBER OF DEPENDENTS**

EMF Copylib Name: DOS-HIST1-NUM-DEP

EMF Position: 210

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: 200 (see Comments)

Description: The number of authorized dependents in a command sponsored status residing overseas with the member at his first past activity.

<i>Valid Values:</i>	<u>Value</u>	<u>Description</u>
	Blank	Not applicable
	0 - 8	Zero thru eight authorized dependents
	9	Nine or more authorized dependents

Auth Sub Sources:

Comments: Not updated directly by TAC 200; CURRENT data is moved to 1st PAST by TAC 200 processing.

PART 9. DEPENDENTS

Data Element Full Name: **DEPENDENTS AT FIRST PAST OVERSEAS ACTIVITY:
DATE OF ARRIVAL**

EMF Copylib Name: DOS-HIST1-DATE

EMF Position: 211-214

EMF Length: 4

EMF Occurrences: 1, Alphanumeric

NES TAC: 200 (see Comments)

Description: The date that the member's dependents arrived at the member's first past overseas activity.

Valid Values: Valid YYMM dates.

Auth Sub Sources:

Comments: Not updated directly by TAC 200; CURRENT data is moved to 1st PAST by TAC 200 processing.

PART 9. DEPENDENTS

Data Element Full Name: **DEPENDENTS AT SECOND PAST OVERSEAS ACTIVITY:
NUMBER OF DEPENDENTS**

EMF Copylib Name: DOS-HIST2-NUM-DEP

EMF Position: 215

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: 200 (see Comments)

Description: The number of authorized dependents in a command sponsored status residing overseas with the member at his second past activity.

<i>Valid Values:</i>	<u>Value</u>	<u>Description</u>
	Blank	Not applicable
	0 - 8	Zero thru eight authorized dependents
	9	Nine or more authorized dependents

Auth Sub Sources:

Comments: Not updated directly by TAC 200; process moves 1st-PAST data to 2nd-PAST.

PART 9. DEPENDENTS

Data Element Full Name: **DEPENDENTS AT SECOND PAST OVERSEAS ACTIVITY:
DATE OF ARRIVAL**

EMF Copylib Name: DOS-HIST2-DATE

EMF Position: 216-219

EMF Length: 4

EMF Occurrences: 1, Alphanumeric

NES TAC: 200 (see Comments)

Description: The date that the member's dependents arrived at the member's second past overseas activity.

Valid Values: Valid YYMM dates.

Auth Sub Sources:

Comments: Not updated directly by TAC 200; 1st PAST data is moved to 2nd PAST by TAC 200 processing.

PART 9. DEPENDENTS

Data Element Full Name: **FAMILY COLLOCATION IDENTIFIER**

EMF Copylib Name: FAMILY-COLLOCATION-IDENTIFIER

EMF Position: 339

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: 200, 345

Description: Broadly identifies family members of an active duty sponsor. The broad definitions identifies dependents who may be residing with the sponsor at his/her current duty station.

<i>Valid Values:</i>	<u>Code</u>	<u>Definition</u>
	A	Spouse
	B	Spouse and Children
	C	Children
	D	Spouse, Children, and Other Dependents
	E	Spouse and Other Dependents
	F	Children and Other Dependents
	G	Other Dependents
	Y	None

Auth Sub Sources: PERS-1024E, PERS-103 (SDS), PERS-47, PERS-842, EPMAC

Comments: Used in conjunction with NBR-DEP-RESIDING-IN-HOUSEHOLD, EMR position 340.

PART 9. DEPENDENTS

Data Element Full Name: **DEPENDENTS RESIDING IN HOUSEHOLD: NUMBER**

EMF Copylib Name: NBR-DEP-RESIDING-IN-HOUSEHOLD

EMF Position: 340

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: 200, 345

Description: Defines the total number of authorized dependents an active duty sponsor has residing with him/her at his/her current duty station and who reside at the same local address as the member as reflected on page 2 of his/her service record.

<i>Valid Values:</i>	<u>Code</u>	<u>Definition</u>
	1	Spouse
	2 - 9	Spouse and Children
	1 - 9	Children
	3 - 9	Spouse, Children, and Other Dependents
	2 - 9	Spouse and Other Dependents
	2 - 9	Children and Other Dependents
	1 - 9	Other Dependents
	Y	None

Auth Sub Sources: PERS-1024E, PERS-103 (SDS), PERS-47, PERS-842, EPMAC

Comments: Used in conjunction with FAMILY-COLLOCATION-IDENTIFIER, EMR position 339.

PART 9. DEPENDENTS

Data Element Full Name: **DEPENDENTS - PRIMARY: STATUS**

EMF Copylib Name: PRI-DEP

EMF Position: 0090

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: 1FL, 1SR, 336, MOB

Description: The number and type of primary dependents that the member has.

Valid Values: Appendix A, DEPENDENCY CODE TABLE

Auth Sub Sources: PERS-1023C (OCARS, OPINS), PERS-1024E, PERS-103 (SDS), PERS-47, EPMAC, NFC, NRPC

Comments: References - (a) PAYPERSMAN 90434. A primary dependent is any person who is related to the member in any of following ways (1) the lawful and dependent spouse; (2) an unmarried legitimate child (including a stepchild or adopted child), if under 21 years of age; or 21 years of age or over and incapable of self-support because of a mental or physical incapacity that existed prior to reaching age 21 and is in fact dependent on the member for over half of his or her support; or under 23 years of age and enrolled in a full-time course of study in an institution of higher learning, and is in fact dependent on the member for over half of his or her support.

PART 9. DEPENDENTS

Data Element Full Name: **DEPENDENTS - PRIMARY: LOCATION**

EMF Copylib Name: DISTR-WIFE-LOC

EMF Position: 0853-0855

EMF Length: 3

EMF Occurrences: 1, Alphanumeric

NES TAC: QL0

Description: The geographic location of member's primary dependents.

Valid Values: TRANSMAN, Figure 25A

Auth Sub Sources: PERS-47, EPMAC

Comments: References - (a) TRANSMAN, Chapter 2. This data is reported on the enlisted duty preference form.

This data element is also contained in Part 10.

PART 9. DEPENDENTS

Data Element Full Name: **DEPENDENTS - PRIMARY: NUMBER OF
MALE CHILDREN UNDER 5 YEARS OF AGE**

EMF Copylib Name: DISTR-CHILD-UNDER-5-M

EMF Position: 0856

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: QL0

Description: The number of dependent male children under 5 years of age that the member has.

Valid Values: 0 - 9

Auth Sub Sources: PERS-47, EPMAC

Comments: References - (a) TRANSMAN, Chapter 2.

This data element is also contained in Part 10.

PART 9. DEPENDENTS

Data Element Full Name: **DEPENDENTS - PRIMARY: NUMBER OF
FEMALE CHILDREN UNDER 5 YEARS OF AGE**

EMF Copylib Name: DISTR-CHILD-UNDER-5-F

EMF Position: 0857

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: QL0

Description: The number of dependent female children under 5 years of age that the member has.

Valid Values: 0 - 9

Auth Sub Sources: PERS-47, EPMAC

Comments: References - (a) TRANSMAN, Chapter 2.

This data element is also contained in Part 10.

PART 9. DEPENDENTS

Data Element Full Name: **DEPENDENTS - PRIMARY: NUMBER OF
MALE CHILDREN 5-11 YEARS OF AGE**

EMF Copylib Name: DISTR-CHILD-5-TO-11-M

EMF Position: 0858

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: QL0

Description: The number of dependent male children 5-11 years of age that the member has.

Valid Values: 0 - 9

Auth Sub Sources: PERS-47, EPMAC

Comments: References - (a) TRANSMAN, Chapter 2.

This data element is also contained in Part 10.

PART 9. DEPENDENTS

Data Element Full Name: **DEPENDENTS - PRIMARY: NUMBER OF
FEMALE CHILDREN 5-11 YEARS OF AGE**

EMF Copylib Name: DISTR-CHILD-5-TO-11-F

EMF Position: 0859

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: QL0

Description: The number of dependent female children 5-11 years of age that the member has.

Valid Values: 0 - 9

Auth Sub Sources: PERS-47, EPMAC

Comments: References - (a) TRANSMAN, Chapter 2.

This data element is also contained in Part 10.

PART 9. DEPENDENTS

Data Element Full Name: **DEPENDENTS - PRIMARY: NUMBER OF
MALE CHILDREN OVER 11 YEARS OF AGE**

EMF Copylib Name: DISTR-CHILD-OVER-11-M

EMF Position: 0860

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: QL0

Description: The number of dependent male children over 11 years of age that the member has.

Valid Values: 0 - 9

Auth Sub Sources: PERS-47, EPMAC

Comments: References - (a) TRANSMAN, Chapter 2.

 This data element is also contained in Part 10.

PART 9. DEPENDENTS

Data Element Full Name: **DEPENDENTS - PRIMARY: NUMBER OF
FEMALE CHILDREN OVER 11 YEARS OF AGE**

EMF Copylib Name: DISTR-CHILD-OVER-11-F

EMF Position: 0861

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: QL0

Description: The number of dependent female children over 11 years of age that the member has.

Valid Values: 0 - 9

Auth Sub Sources: PERS-47, EPMAC

Comments: References - (a) TRANSMAN, Chapter 2.

This data element is also contained in Part 10.

PART 9. DEPENDENTS

Data Element Full Name: **DEPENDENTS - SECONDARY: STATUS**

EMF Copylib Name: SEC-DEP

EMF Position: 0091

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: 1FL, 1SR, 336

Description: The number and type of secondary dependents that the member has.

Valid Values: Appendix A, DEPENDENCY CODE TABLE

Auth Sub Sources: PERS-1023C (OCARS, OPINS), PERS-1024E, PERS-103 (SDS), PERS-47, EPMAC

Comments: References - (a) PAYPERSMAN 90434. A secondary dependent is any person who is related to the member in any of the following ways: parent, step-parent, parent by adoption, or any person (including step-parent) who has stood in loco parentis to the member at any time for a continuous period of at least 5 years before member became 21 years of age, and who is in fact dependent on member for over half of his or her support.

PART 9. DEPENDENTS

Data Element Full Name: **DEPENDENTS - SECONDARY: NUMBER**

EMF Copylib Name: SEC-DEP-NO

EMF Position: 0862

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: QL0

Description: The number of secondary dependents that the member has as reported in Enlisted Duty Preference.

Valid Values: 0 - 9

Auth Sub Sources: PERS-47, EPMAC

Comments: References - (a) TRANSMAN, Chapter 2.

This data element is also contained in Part 10.

PART 9. DEPENDENTS

Data Element Full Name: **DEPENDENTS - SECONDARY: LOCATION**

EMF Copylib Name: SEC-DEP-LOC

EMF Position: 0863-0865

EMF Length: 3

EMF Occurrences: 1, Alphanumeric

NES TAC: QL0

Description: The geographic location of member's secondary dependents as reported in Enlisted Duty Preference.

Valid Values: Worldwide Geographic Location Code, General Services Administration Office of Finance

Auth Sub Sources: PERS-47, EPMAC

Comments: References - (a) TRANSMAN, Chapter 2.

This data element is also contained in Part 10.

PART 9. DEPENDENTS

Data Element Full Name: **SPOUSE: MILITARY PERSONNEL CLASS**

EMF Copylib Name: MIL-PERS-CLASS

EMF Position: 2807

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: Q20

Description: Indicates military status of member's spouse.

<i>Valid Values:</i>	<u>Value</u>	<u>Description</u>
	C	Cadet or Midshipman
	E	Enlisted
	O	Officer
	W	Warrant officer
	Z	Unknown

Auth Sub Sources: PERS-1024E, PERS-103 (SDS), PERS-47, EPMAC

Comments: This data element complies with the DOD Standard Data Element MI-NA-AB in the Manual for Standard Data Elements, DOD 5000.12-M.

PART 9. DEPENDENTS

Data Element Full Name: **SPOUSE: SOCIAL SECURITY NUMBER**

EMF Copylib Name: SSN-SPOUSE

EMF Position: 2808-2816

EMF Length: 9

EMF Occurrences: 1, Alphanumeric

NES TAC: Q20

Description: The social security number of the member's spouse.

Valid Values: Valid social security number

Auth Sub Sources: PERS-1024E, PERS-103 (SDS), PERS-47, EPMAC

Comments: This data element complies with the DOD standard data element SO-CA-AD, found in the Manual for Standard Data Elements, DOD 5000.12-M. This data element partially duplicates the data element, Spouse Social Security Number or Branch of Service (SPOUSE-IDENT-SSN).

PART 9. DEPENDENTS

Data Element Full Name: SPOUSE: BRANCH OF SERVICE

EMF Cpylib Name: BR-SVC

EMF Position: 2817

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: Q20

Description: The branch of Uniformed Service to which the member's spouse belongs.

<u>Valid Values:</u>	<u>Values</u>	<u>Description</u>	<u>Values</u>	<u>Description</u>
	Blank	Not applicable	M	Marine Corps
	A	Army	N	Navy
	E	Public Health Service	P	Coast Guard
	F	Air Force		
	I	National Oceanic and Atmospheric Administration		

Auth Sub Sources: PERS-1024E, PERS-103 (SDS), PERS-47, EPMAC

Comments: This data element complies with the DOD standard data element UN-SE-AC in the Manual for Standard Data Elements, DOD 5000.12-M. It partially duplicates the data element Spouse Social Security Number (SPOUSE-IDENT-SSN).

PART 9. DEPENDENTS

Data Element Full Name: **SPOUSE: DUTY AFFILIATION**

EMF Copylib Name: DUTY-AFFILIATION

EMF Position: 2818

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: Q20

Description: The duty affiliation of the member's spouse.

<i>Valid Values:</i>	<u>Value</u>	<u>Description</u>
	Blank	Not applicable
	A	Active duty
	I	Inactive duty
	F	Former member of Navy
	Z	Unknown

Auth Sub Sources: PERS-1024E, PERS-103 (SDS), PERS-47, EPMAC

Comments:

PART 9. DEPENDENTS

Data Element Full Name: **SPOUSE: SERVICE COMPONENT**

EMF Copylib Name: SVC-COMPONENT

EMF Position: 2819

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: Q20

Description: The service component to which the member's spouse belongs.

<i>Valid Values:</i>	<u>Value</u>	<u>Description</u>
	Blank	Not applicable
	G	National Guard
	V	Reserve
	R	Regular
	Z	Unknown

Auth Sub Sources: PERS-1024E, PERS-103 (SDS), PERS-47, EPMAC

Comments: This data element complies with the DOD standard data elements SE-NA-AA in the Manual for Standard Data Elements, DOD 5000.12-M.

PART 9. DEPENDENTS